

## TECHNICAL SPECIFICATION SHEET FOR CV16-ULH

Marketing Information	
Code/Model	CV16-ULH
Gross Capacity	16 Cu.ft.
Storage Capacity [ft <sup>3</sup> ]	13.87
Storage Capacity [lt]	393
Market/Country	Domestic/Exportation
Dimension with packaging [in]	W:35.5 D:37.5 H:88
Dimension without packaging [in]	W:30 D:31.5 H:78.75
Accessories	
User Guide	Yes
Safety Recommendations	Yes
Liquid Evaporating Tray	Yes
Temperature Control	Digital
Wheels	Optional
Technical Characteristics	
Refrigerant	R-404a
Evaporation Temperature [°F]	-18
Condensation Temperature [°F]	109.4
Defrost Method	Electric (Resistances)
Optimal Temperature Range **[°F]	0° or below
Shelves Line	
Quantity (Pieces)	4
Materials	Steel
Clamps	Adjustable
Color	White
Doors	
Quantity (Pieces)	1
Door Type	hinged
Door Construction	Glass
Material	Glass and plastic
Color	Black
Closing method	Self-closing
Glass Quantity in Sandwich	3
Handles	
Quantity (Pieces)	1
Materials	Plastic ABS
Color	Black
Finished	
Interior	Prepainted white sheet and stainless steel
Exterior	Galvanized Sheet and prepainted white sheet
Isolation mode	High density polyurethane
Electrical Characteristics	
Nominal Voltage [V]	120
Nominal Current [A]	13,13
Frecuency [Hz]	60
Lighting Type	LED
Cooling System	
Compressor (HP)	(1/2)
Condenser	Forced Ventilation
Evaporator	Forced Ventilation
Expansion Method	Capillary tube

Note: All controls reach temperature from 28 °F  
to -10 °F

Specified by NSF\*\*

\* W= Weight, D= Depth, H= Height

REVISION: 5  
DATE: 12/08/2014