

TECHNICAL SPECIFICATION SHEET

CV32-ULH

Marketing Information

Code/Model	CV32-ULH
Gross Capacity	32 Cu.Ft.
Storage Capacity [ft³]	27,79
Storage Capacity [lt]	787
Country	Domestic/Exportation
Dimension with packaging [in]	W:59.75 D:37.5 H:88
Dimension without packaging [in]	W:54.33 D: 30 H: 78.75

Accessories

User Guide	Yes
Safety Recommendations	Yes
Liquid Evaporating Tray	Yes
Temperature Control	Digital
Wheels	Optional

Technical Characteristics

Refrigerant	R-404a
Evaporation Temperature [°F]	-18
Condensation Temperature [°F]	109.4
Defrost Method	Electric (Resistances)
Optimal Temperature Rangel **[°F]	0° or Below

Shelves Line

Quantity (Pieces)	8
Material	Steel
Clamps	Adjustable
Color	White

Doors

Quantity (Pieces)	2
Door Type	hinged
Door Construction	Glass
Material	Glass and plastic
Color	Black
Closing method	Self-closing
Glass Quantity in Door	3

Handles

Quantity (Pieces)	2
Materials	Plastic ABS
Color	Black

Finished

Interior	Prepainted white sheet and stainless steel
Exterior	Galvanized Sheet and prepainted white sheet
Isolation mode	High density polyurethane

Electrical Characteristics

Nominal Voltage [V]	120
Nominal Current [A]	12,87
Frecuency [Hz]	60
Lighting Type	LED

Cooling system

Compressor (HP)	1.5
Condenser	Forced Ventilation
Evaporator	Forced Ventilation
Expansion Method	Capillary tube

Specified by NSF**

Note: All controls reach temperature from 28 °F to -10 °F

* W= Weight, D= Depth, H= Height

REVISION: 6
DATE: 08/12/2014