

TECHNICAL SPECIFICATION SHEET

VRD-28

Marketing Information	
Code/Model	VRD28-ULH
Gross Capacity	28 Cu.Ft.
Storage Capacity [ft ³]	27
Storage Capacity [lt]	504
Market/Country	Domestic/Exportation
Dimension with packaging [in]	W:56.40 D:32.31 H:80.59
Dimension without packaging [in]	W:57.08 D:33.07 H:80.70
Accessories	
User 's Guide	Yes
Safety Recommendations	Yes
Liquid Evaporating Tray	Yes
Wheels	Optional
Temperature Control	Digital
Technical Characteristics	
Refrigerant	R134a
Evaporation Temperature [°F]	20
Condensation Temperature [°F]	109.4
Defrost Method	n/a
Optimal Temperature Range **[°F]	32° to 40°
Shelves Line	
Quantity (Pieces)	6
Material	Steel
Clamps	Adjustables
Color	White
Doors	
Quantity (Pieces)	2
Door Type	Swing
Door Construction	Glass
Material	Glass-Plastic
Color	Black
Closing method	Seal Self-closing
Glass Quantity in Sandwich	3
Handles	
Quantity (Pieces)	2
Material	Plastic ABS
Color	Black
Finished	
Interior	Prepainted white sheet and stainless steel
Exterior	Prepainted white sheet
Isolation mode	High density polyurethane
Electrical Characteristics	
Nominal Voltage [V]	120
Nominal Current [A]	13,49
Frecuency [Hz]	60
Lighting Type	Fluorescent lamp
Cooling System	
Compressor (HP)	(1/2)
Condenser	Forced Ventilation
Evaporator	Forced Ventilation
Expansion Method	Capillary tube

Note: All controls reach temperature until
75°F

Specified by NSF**

* W= Weight, D= Depth, H= Height

REVISION: 4
DATE: 12/08/2014